



HARVARD FIRE DEPARTMENT



PERMIT FEE SCHEDULE

Adopted by Board of Selectmen on December 20, 2011
Each fee includes all application, permit and inspection fees

PERMIT	FEE
Blasting	\$50 (up to 3 shots)
Bonfires - Ceremonial	Requires Fire Detail
Cannon & Mortar Firing	\$25
Ch. 304 Annual Liquor License Establishment Fire & Life Safety Inspections	\$50
Cutting and Welding	\$25
Detail	\$32 hr/4 hr min
Dust Explosion Prevention	\$25
Explosives and Black Powder	\$25
False Alarm - after 3 calls	\$200
False Alarm - malicious / deliberate	Billed at FD Rate
Farm Labor Camp	\$25
Fire Alarm master box (connection)	*\$0
Fire Alarm system repair (permit & inspection)	\$50
Fire Protection Equipment	\$25
Fire Protection System	\$50
Fireworks Display	Requires Fire Detail
Fuel Transfer Operations	\$50
Fumigation and Insecticidal Fogging	\$50
Hazardous Substances, Left Unattended	\$50
Limited Special Effects	\$50
Matches (over 25 cases)	\$15
Model Rocket	\$15
Oil Burning Equipment	\$50
Plan review Commercial	\$25/1,000 sq ft
Plan review Residential	\$25
Reinspection Fee	Amt of permit (after 2 attempts)
Reports & Copies	\$5 up to 6 pages Plus \$.50 over
Review files for MGL 21e (per hour fee)	\$30
Rubbish Containers/Dumpsters (6 cubic yds or greater and >1 day)	\$25
Smoke Detector &/or Carbon Monoxide Alarm (MGL 148 26F 1/2) (single family)	\$50
Smoke Detector &/or Carbon Monoxide Alarm (MGL 148 26F 1/2) (2 family and above)	\$50 + \$50 per unit
Sprinkler Installation/Alteration	\$50
Storage, Combustible Material	\$50
Tank Vehicles Parked Overnight (per vehicle)	\$50
Tanks and Containers (installation or removal)	\$50
Tar Kettles on Roofs	\$25
OPEN AIR FIRES	
Agricultural	**\$0
Brush (January 15 thru May 1)	\$10
Cooking	***\$0

* Repairs needed to the master box are the responsibility of the building owner.

** Permit still required and all open burning rules apply except that open burning can be conducted all year.

*** No permit required but must be called into dispatch when you are having one.

The size of the fire is not to exceed 3'lx3'wx3'h